## SENFENG

## **Gantry-type Robot Cutting Series**

Laser power: 1.5-20kW Max cutting thickness: 14mm

- Gantry-type framework, with less vibration or impact, making cutting much stabler
- Sector assisted cutting of large-format 3D workpiece of complex shapes
- ☑ Light-weight 3D laser cutting head outfitted with magnetic mechanical anti-collision device
- Seasy to operate because of intelligent programming and high level of automation
- Pair with a positioner to rotate and position workpieces accurately



| Model                                | RC Series                               |  |
|--------------------------------------|---|--|
| Machine Structure                    | Gantry-type                             |  |
| Laser Power (kW)                     | 1.5-20                                  |  |
| Laser Wavelength (nm)                | 1080 (±10)                              |  |
| Type of Cooling                      | Water cooling                           |  |
| Length of Optical Fiber (m)          | 10-20                                   |  |
| Cutting Thickness (mm)               | ≤3-14                                   |  |
| Number of Robot Axes                 | 6 axes                                  |  |
| Robot Radius (mm)                    | 1853                                    |  |
| Repositioning Accuracy of Robot (mm) | ± 0.02                                  |  |
| Total Mass of Robot (kg)             | 210                                     |  |
| Power Supply                         | Three-phase 380V, 50/60HZ (custom-made) |  |